

# SAFETY DATA SHEET n accordance with UN GHS (7th rev.)

In accordance with UN GHS (7th rev.) SECTION 01: Identification of the substance/mixture and of the company						
	tion of the sub	stance/mixture a	ind of the company			
1.1 Product identifier Product Name			L	JTF Gel (Imagel)		
Other means of identification Product Number	UC-	7355; R03-GEL1				
<b>1.2 Recommended use of th</b> Product Uses Uses advised against	ne chemical and re	estrictions on use	Soun	d conducting gel Not known		
1.3 Supplier's details			C Tel.: +	Tessonics Inc. Duellette Avenue Windsor, Ontario Canada, N9A 4J3 -1-866-440-3313 -1-519-250-5747		
<b>1.4 Emergency phone numl</b> In case of chemical emergence EST) or your regional Poison	cy, fire, or exposure		-1-866-440-3313 (Mon-Fri	i 09:00-17:00		
China +86 10 831 32 046 / +8 China, Hong Kong +852 2772 India 1800 116 117 / +91 112	2 2211 2 659 36 77	Japan +81 72 72 Taiwan 866-2-28 Thailand +66 2 4				
SECTION 02: Hazards	dentification					
2.1 GHS Classification of th Not a dangerous substance of 2.2 GHS Label elements				1		
2.3 Other hazards. None.						
SECTION 03: Composi	tion /Informatio	on on ingredients	5			
3.1 Substances	Mixture. S	See 3.2.				
3.2 Mixtures Chemical Name:		Identifiers	Classification GHS	Wt/Wt %		
Glycerol, USP Kosher		CAS # 56-81-5	Not classified.	60-65		
Synonyms: Glycerin, 1,2,3-propaneti	iol.甘油	EC # 200-289-5				
Other components: Components not listed here are not hazardous.						
<b>SECTION 04: First-Aid</b>	Measures					
4.1 Description of necessar						
After inhalation Move to fresh air. When symptoms persist, seek medical advice.						
After skin contact	Wash with water and soap and rinse thoroughly.					
After eye contact	Rinse for several minutes under running water. If wearing contact lenses, remove them. If symptoms persist, consult a doctor.					
After ingestion	Remove material from mouth. Drink plenty of water. Do NOT induce vomiting.					
4.2 Most important symptoms/ effects, both acute and delayed						
Skin	May cause mild irritation for sensitive skin.					
Eyes	May cause mild eye irritation. Symptoms may include tearing, redness, and stinging sensation.					
Ingestion	Nausea, vomiting,	diarrhea. Unlikely to	be harmful unless excess	sive amount.		
Long Term Exposure.	None.					
4.3 Indication of immediate medical attention and special treatment needed.						
The protection of first- aiders	Use personal protective equipment.					



# SAFETY DATA SHEET

	In accordance with UN GHS (7					
Note to physicians. Treat symptomatically.						
SECTION 05: Fire-fighting N	leasures					
5.1 Extinguishing Media						
Suitable extinguishing media	Water, foam, CO2 or dry powde	er.				
Unsuitable extinguishing media						
Special protective equipment	Wear self-containing breathin necessary.	ng apparatus	and protective	clothing if		
5.2 Specific hazards arising from the chemical         Special Risks         Decomposes when temperature rises. Upon combustion CO and CO <sub>2</sub> a dense smoke are formed.						
5.3 Special protective equipment	and precautions for fire-fighter	rs				
Special precautions for firefighters	Promptly isolate the scene by re incident.	emoving all pe	rsons from the vici	nity of the		
Special protective equipment for firefighters	Wear appropriate protective equapparatus (SCBA).	uipment and se	elf-contained breat	hing		
<b>SECTION 06: Accidental Re</b>	lease Measures					
		procedures				
6.1 Personal precautions, protective equipment and emergency procedures         For non-emergency personnel       Wipe up with absorbent material (e.g. cloth, fleece). Ve spillage area. Keep away from sources of ignition - No smoking.						
For emergency responders	Do not attempt to t equipment.	take action witl	nout suitable prote	ctive		
<b>6.2 Environmental Precautions</b> Minimize contamination of drains, s	urface or ground waters. Dilute w	vith water.				
6.3 Methods and materials for co	ntainment and cleaning up					
Absorb spillage onto inert material ( disposal at approved cites. Residue	(e.g. sand or vermiculite). Transfe			ainers for		
For hazardous combustion products For exposure control and individual For later elimination of waste, follow	protection measures, see section					
SECTION 07: Handling and						
	en handling material. See Sectio	on 8 for Individu	ual protective meas	sures.		
Incompatible substances Strong oxidizing agents such as strong acids, Chromium Trioxide, Potassium and mixtures Chlorate, or Potassium Permanganate.						
SECTION 08: Exposure Cor	trols/ Personal Protection	า				
<b>8.1 Control parameters</b> The product does not contain any reat the workplace. Occupational exposure limit values	elevant quantities of materials wit	h critical value		nonitored		
		<b>T</b>				
Country. Organization		Type	OEL value, mg/m <sup>3</sup>	Form		
Country. Organization USA/Canada. American Conference of Gov Occupational Safety and Health Administrati		6	OEL value, mg/m <sup>3</sup> 15	Mist		
USA/Canada. American Conference of Gov Occupational Safety and Health Administrati Korea		TWA TWA	15 10	Mist Mist		
USA/Canada. American Conference of Gov Occupational Safety and Health Administration		TWA	15	Mist		
USA/Canada. American Conference of Gov Occupational Safety and Health Administrati Korea South Korea		TWA TWA TWA	15 10 10	Mist Mist		



### SAFETY DATA SHEET In accordance with UN GHS (7th rev.)

Relevant DNEL	/ PNEC v	alues							
Relevant DNEI	_s (glycer	ol)							
Endpoint Three						Exposure time			
		lev	el	route of expo	oute of exposure				
DNEL		56 m	g/m <sup>3</sup> human, inhalatory worker (		worker (industr	stry) chronic - local effect			
Environmental	values (g	lycerol)							
Endpoint	Thr	eshold	Organism		E	Environmental		Exposure time	
		evel	_		compartment				
PNEC	0.8	85 mg/l	aquatic organisms			freshwater		short-term (single instance	
PNEC	0.08	885 mg/l	5 mg/l aquatic		n	marine water		short-term (single instance	
PNEC	1,0	1,000 mg/l aqu		tic organisms sewage treatment p		e treatment plant	short-term (single instance		
						(STP)			
PNEC	3.3	3.3 mg/kg		aquatic organisms		nwater sediment	short	-term (single instance	
PNEC	0.33	0.33 mg/kg		aquatic organisms		arine sediment	short	-term (single instance	
PNEC	0.14	1 mg/kg	terrestrial organisms		soil		short-term (single instance		
PNEC	8.8	85 mg/l	aquatic organisms			water		continuous	

#### 8.2 Appropriate engineering controls

Adequate ventilation should be provided.

# 8.3. Individual protective measures

Maintain general industrial hygiene practices when using this product. Gloves. Safety Glasses.



Eye/face protectionSafety glasses are recommended.Skin protectionHandle with gloves (nitrile, latex/rubber, PVC, butyl, material thickness >0.11<br/>mm). Chemical protection gloves are suitable, which are tested according to<br/>EN 374.<br/>Take recovery periods for skin regeneration. Preventive skin protection (barrier<br/>creams/ointments) is recommended. Wash hands thoroughly after handling.<br/>In case of inadequate ventilation wear suitable respiratory protection.

## 8.3 Control of environmental exposure

Do not let product enter drains.

# **SECTION 09: Physical and chemical properties**

# 9.1 Information on basic physical and chemical properties

9.1 Information on basic physical and chemical properties						
Appearance						
Physical State	Gel					
Color	Clear or light yellow					
Odor	Odorless					
Odor threshold	No data available.					
Other safety parameters						
рН	5.5-7					
Freezing/melting point	Not available.					
Boiling point	111.3ºC					
Flash point	>160°C (320°F) (glycerin) PMCC					
Evaporation rate	No data available.					
Flammability	Non-flammable.					
Auto ignition temperature	370°C (698°F) (glycerin)					
Decomposition temperature Not available.						
Explosive limits						
Lower explosion limit (LEL)	No data available.					
Upper explosion limit (UEL)	No data available.					
Vapour pressure	553 mm Hg at 100°C.					
Vapour density	Not available.					
Specific density	1.16 at 25°C					
Solubility	water soluble					
	chloroform insoluble					
Partition coefficient	Not available.					
Viscosity	Not available.					
9.2 Other information						



# SAFETY DATA SHEET

	In accordance with UN GHS (7th rev.)					
VOC content	<0.5% (5.5g/L)					
SECTION 10: Stability and Reactivity						
<b>10.1 Reactivity</b> The product is non-reactive under normal conditions.						
<b>10.2 Chemical stability</b> Stable under normal operationa	l procedures.					
<b>10.3 Possibility to hazardous</b> React with: Strong oxidiser. Per	reactions oxides. Nitric acid and nitrous acid.					
<b>10.4 Conditions to Avoid</b> Excessive heat. Strong acids, ba	<b>10.4 Conditions to Avoid</b> Excessive heat. Strong acids, bases, strong oxidizing agents (chromium trioxide, or potassium permanganate).					
<b>10.5 Incompatible materials</b> Strong oxidizers.						
10.6 Hazardous decompositio	n products					
Carbon monoxide, dense smoke	e. Hazardous combustion products: see section 5.					
SECTION 11: Toxicologic	cal Information					
11.1 Information on toxicolog						
Information on the likely route						
Ingestion	Unlikely to be harmful unless excessive amount.					
Skin contact	May cause skin irritation on sensitive skin					
Eye contact	May irritate eyes					
	sical, chemical and toxicological characterization					
Skin	May cause mild irritation for sensitive skin.					
Eyes	May cause mild eye irritation. Symptoms may include tearing, redness, swelling, and stinging sensation.					
Ingestion	Nausea, vomiting, diarrhea if ingested in large quantities.					
Long Term Exposure.	None.					
Over-exposure signs/symptoms	No data available.					
<b>Delayed and immediate effect</b> Acute toxicity	s and also chronic effects from short and long term exposure Not classified.					
Skin irritation	May cause mild skin irritation on sensitive skin.					
Eye damage	May irritate eyes.					
Ingestion	If a large quantity has been ingested, may cause nausea and diarrhea.					
Reproductive cell mutagenicity Reproductive toxicity	No data available.					
Specific target organ toxicity.	No data available.					
Carcinogenicity	No data available					
Long term and Chronic effect	The components are not listed as carcinogens by the IARC, NTP. Negative (sensitization test, guinea pig)					
Numerical measures of toxicit Acute oral toxicity:	t <b>y (glycerol, 56-81-5)</b> LD <sub>50</sub> >27200 mg/kg, rat					
Acute dermal toxicity:	LD <sub>50</sub> >56750 mg/kg, rabbit					
Skin irritation, rabbit:	500 mg/24 hrs No effect					
Eye irritation, rabbit:	126 mg, mild irritation 24h					
Additional toxicological inform harmful effects according to the info	<b>nation:</b> If used and handled according to specifications, the product does not have any prmation provided to us.					

# **SECTION 12: Ecological Information**

12.1 Toxicity



# UTF Gel (Imagel)

In ac	SAFETY DATA SHEET cordance with UN GHS (7th rev.)				
No ecological problems to be expected wind Aquatic toxicity Harmful effect for aquatic organisms	hen the product is handled and used with due care and attention. Mild water pollutant (surface water). WGK water hazard class – VwVwS: WGK 1 - low hazard to water Not harmful for fish, aquatic organisms, algae, bacteria (EC <sub>50</sub> >1000mg/L).				
<b>Ecotoxicity data</b> (glycerol, 56-81-5): Oncorhynchhus mykiss (Rainbow trout) Daphnia magna	96 hrs LC <sub>50</sub> =51000-57000 mg/L 24hrs EC <sub>50</sub> >10000 mg/L				
12.2 Persistence and degradability	Readily biodegradable. OECD 301D: 82%; 20 days.				
12.3 Bioaccumulative potential	No data available.				
12.4 Mobility in soil	No data available.				
12.6 Other adverse effects	Not known.				
SECTION 13: Disposal Consider	ations				
<b>13.1 Waste treatment methods</b> Dispose in accordance with applicable loc quantities can be disposed of with solid w	cal, state, and federal regulations. Do not dispose via drains. Small vaste.				
<b>13.2 Contaminated packaging</b> Disposal in compliance with local official regulations. Empty containers should be taken to an approved waste handling site for recycling or disposal.					
<b>13.3 Recommended cleansing agent</b> Water, if necessary with cleansing agents	j.				
13.4 Disposal method/information					
Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local, regional, national, international regulations.					
SECTION 14: Transportation Info	ormation				
14.1 UN number.	Not dangerous goods.				
14.2 UN proper shipping name.	Not relevant.				
14.3 Transport hazard class.	Not dangerous goods.				
14.4 Packing group.	Not dangerous goods.				
14.5 Environmental hazards.	None (DOT, ADR, ADN, IMDG, IATA).				
14.7 Transport in bulk.	Not intended to be carried in bulk.				
14.6 Special precautions for user	None.				
SECTION 15: Regulatory Information	ation				
15.1 Safety, health and environmental regulations					
Relevant provisions of the United States:					

# **Relevant provisions of the United States:**

TSCA							
Section 8(b). Glycerol is listed.							
Section 12(b) Export Notification (40 CFR 707, Subpt. D). Not listed.							
Health & Safety Reporting List / TSCA Significant New Use Rule Not listed.							
US OSHA (29 CFR 1910.1001-1050). Not on regulatory list.							
Clean Air Act (C	Clean Air Act (CAA) Section 112						
Chemical name	CAS#	HAPs	VOC Chemicals	Class 1 Ozone	Class 2 Ozone		
		data		Depletors	Depletors		
Glycerin	56-81-5	-	SCAQMD M 313 Volatile*	-	-		
			ASTM E1868 Non-Volatile*				
			U.S. EPA M24 Semi-Volatile*				
			EPA, CARB & OTC Non-Volatile*				
			Green Seal Non-Volatile*				

Green Seal \*Uyên-Uyên T. Võ, Michael P. Morris Non-Volatile, Semi-Volatile, or Volatile: Redefining Volatile for Volatile Organic Compounds, South Coast Air Quality Management District, http://www.agmd.gov



# SAFETY DATA SHEET

# In accordance with UN GHS (7th rev.)

Clean Water Act 40 CFR 122.21 and 40 CFR 122.42. Not regulated.

SARA

CERCLA Not on regulatory list under CERCLA (40 CFR 302) or the Superfund SARA (40 CFR 355). SARA 313 Act and Title 40 of the Code of Federal Regulations, Part 372. Not regulated. SARA 311/312 Hazard Categories. Immediate Health Hazard (glycerol). **State Regulations** 

Glycerol can be found on the Pennsylvania, Minnesota, and Massachusetts right to know lists.

### **Relevant provisions of Canada:**

HMIS/NFPA: Health -1, Flammability - 1, Reactivity - 0 Hazardous Product Act. Not controlled substance. Domestic Substances List. Listed (Glycerol). Ingredient Disclosure List. Not listed.

## **Relevant provisions of Taiwan:**

TCSI inventory. Glycerol (56-81-5). Listed. Toxic Chemical Substance List. Not listed.

#### **Relevant provisions of Korea:**

Korea Existing Chemicals Inventory (KECI). Glycerol. Listed.

#### **Relevant provisions of China:**

Inventory of Existing Chemical Substances in China (IECSC). Glycerin. Listed. Catalog of Hazardous Chemicals (2015). Glycerol. Not listed.

# Relevant provisions of Japan:

List of Existing and New Chemical Substances (CSCL-ENCS). Glycerol. Listed.

#### **International Inventories**

TSCA, EINECS/ELINCS, ENCS, IECSC, PICCS, AICS. Listed

#### **15.2 Chemical Safety Assessment**

No Chemical Safety Assessment has been carried out by the supplier for this mixture.

# **SECTION 16: Other Information**

Date of issue:

April 16, 2009.

Date of revision: January 10, 2015 June 20, 2015 April 10, 2017 January 10, 2018 October 28, 2018 May 10, 2019 Prepared by Tessonics Inc. Reason for revision: Comply with GHS (5th edition) Comply with CLP Regulation (EC) No 1272/2008. Comply with GHS (6th ed.), Annex to Regulation (EU) 2015/830. Comply with GHS (7th edition) Comply with NOM-018-STPS-2015 Sections 1.4, 2, 8.1, 15.1 are edited.

#### Key literature references and sources for data

Globally Harmonized System of Classification and Labelling of Chemicals (GHS).

The submission of the MSDS may be required by law but this is not an assertion that the product is hazardous when used in accordance with proper safety practice and normal handling procedures. Data supplied are for use only in connection with occupational safety and health.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. This information should not constitute a guarantee for any specific product properties. Tessonics Corporation assumes no responsibility for injury to the recipient or third person or for any damage to any property resulting from misuse of the product.

# End of the SDS